

reINFORCE

K : 8.3 Si : 20

ANALYSIS

20% Silica (SiO_2) as Potassium Silicate
8.3% Potassium (K) as Potassium Silicate

**TO DETER PATHOGENS AND STRENGTHEN TURFGRASS. REINFORCE IS
A SPECIFICALLY FORMULATED BLEND OF SILICA AND POTASSIUM TO
PROVIDE A STRONG HARD WEARING TURF GRASS BLADE.**



Batch Number:

Date of Manufacture:

20L
CONTENTS

REINFORCE DIRECTIONS FOR USE

SITUATION	RATE	WATER VOLUME	COMMENTS
Golf Greens and Fine Turf	30-50ml/100m ² (3-5L/Ha)	6-10L/100m ²	Apply to the turfgrass foliage only, prior to adverse environmental conditions.
Bowling Greens	420-700ml/Green	200L of water	Apply 5-10 days prior to major event to improve ball roll and assist in increases green speed.
Fairways, Sportsfields and Race Tracks	3-5L/Ha	600-800L /Ha	Apply up to 14 days prior to major events to improve turfgrass turgidity.

EFLOW REINFORCE IS NOT RECOMMENDED FOR TANK MIXING

eFlow TANK MIXING	STIMULUS	SPECIAL FEX	KOPE	ESSENTIAL	KELPRO	RE-INFORCE	
STIMULUS	■	■	■	■	■	■	■ These products are compatible in 2-way tank mixes.
SPECIAL FEX	■	■	■	■	■	■	■ Foaming may occur in tank mixes containing Kope if sufficient water is not added to tank prior to addition of Kope. When tank mix includes Kope add this product to tank first as foaming may occur.
KOPE	■	■	■	■	■	■	■ Re-inforce does not tank mix with other products in the eFlow range. Sediment will form in the tank and cause nozzle blockages.
ESSENTIAL	■	■	■	■	■	■	■ These products were tank mixed at rates equivalent to those that would be used when applied in a water volume of 400L
KELPRO	■	■	■	■	■	■	
RE-INFORCE	■	■	■	■	■	■	

IMPORTANT: This product is alkaline and may cause alkaline hydrolysis of some pesticides, reducing their effectiveness. The spray solution should be buffered before mixing with susceptible products.

NOTICE: This product is designed only for the particular purposes indicated on the label. Failure to use the product strictly as directed may be illegal, prove dangerous and render the product ineffective. The buyer or user is responsible for any misuse or negligence in the handling, storage, use of or disposal of this material. Barmac Pty Ltd will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in conjunction with the supply and use of this product other than those responsibilities mandatorily imposed by statutes applicable to the sale and supply of these goods.



BARMAC PTY LTD ABN 21 009 674 953
 3 Mary Street, Blackstone QLD 4304 AUSTRALIA
 P: 07 3280 3000 W: www.barmac.com.au

