

AUTO FERT

NPK

ANALYSIS:

- 2.7% (w/v) Nitrogen (N)
as Di-Ammonium Phosphate
- 9.6% (w/v) Nitrogen (N) as Urea
- 1.9% (w/v) Nitrogen (N) as Potassium Nitrate
- 14.2% (w/v) TOTAL NITROGEN
- 3.0% (w/v) Phosphorus (P) as Water Soluble
- 5.3% (w/v) Potassium (K) as Potassium Nitrate
- 0.12% (w/v) Sulphur (S)
- 0.09% (w/v) Iron (Fe) as chelate
- 0.05% (w/v) Zinc (Zn) as chelate
- 0.02% (w/v) Manganese (Mn) as chelate
- 0.006% (w/v) Copper (Cu) as chelate
- 0.35% (w/v) Maximum Biuret

A highly mobile liquid fertiliser containing adequate levels of Nitrogen, Phosphorus, Potassium and key trace elements.



BARMAC PTY
LTD

ABN 21 009 674 953

3 Mary Street, Blackstone Qld 4304

TEL: (07) 3280 3000

www.barmac.com.au

Net Contents
20 Litres

AUTO FERT

NPK

GENERAL RECOMMENDATIONS

Vegetables, Row Crops and Ornamentals

Apply 3 – 5 Litres of AUTOFERT *NPK* as a foliar application per hectare. Multiple applications may be needed to correct deficiencies once they occur. Use a minimum of 100 litres of water per hectare per application.

Fruit Trees, Vine Crops and Orchards

Apply 5 – 7 Litres of AUTOFERT *NPK* as a foliar per hectare. Multiple applications may be needed to correct deficiencies once they occur. Use a sufficient amount of water to ensure adequate coverage. Coverage should occur to until just prior to the point of run-off.

Aerial Application

Use a minimum of 30 Litres per hectare total volume, use the lower foliar rate as a guide for aerial application.



BARMAC PTY LTD ABN 21 009 674 953
3 Mary St, Blackstone Qld 4304
TEL: (07) 3280 3000
www.barmac.com.au

Soil Application

AUTOFERT *NPK* can be applied via fertigation by drip, sprinkler, water wheel and overhead irrigation at a rate of 7-15 Litres per hectare. Rates will vary between fields depending on pH and soil organic matter.

Mixing instructions for Foliar/Aerial

1. Put 1/3 of water in tank.
2. Add correct amount of AUTOFERT *NPK*.
3. Fill tank with balance of water and agitate.
4. Add other chemicals or nutrients.
5. Agitate adequately to mix.

Caution: Check compatibility with chemical and nutrient mixtures, complete a standard jar test. When mixing chemicals and nutrients, it is recommended to apply to a small area 24 hours prior to field application.

NOTICE: This product is designed only for the particular purposes indicated on the label. Failure to use the product strictly as directed may be illegal, prove dangerous and render the product ineffective. The buyer or user is responsible for any misuse or negligence in the handling, storage, use of or disposal of this material. Barmac Pty Ltd will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply and use of this product other than those responsibilities mandatorily imposed by Statutes applicable to the sale and supply of these goods.

Batch
Number:

Date of
Manufacture:

