

**KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS  
BEFORE OPENING**

**BARMAC**

# ***BORIC ACID***

**17% Boron (B) as Boric Acid**

For the treatment of Boron Deficiency in various situations as per the directions for use.

**NET WEIGHT: 1 Kg**



**BARMAC INDUSTRIES** PTY  
LTD

ABN 21 009 674 953

**Box Flat Estate,  
Swanbank Road,  
SWANBANK, QLD 4306**

**Batch  
Number:  
Date of  
Manufacture:**

BoricL0802V1

## DIRECTIONS FOR USE

<b>ANNUAL CROPS</b>		<b>COMMENTS</b>
Fruit trees (foliar)	100 – 200 g/100 L	Apply in sufficient water to wet foliage. Apply in early crop life.
Vegetable crops (foliar)	200 – 500 g/100 L	Apply in sufficient water to wet foliage. Apply in early crop life.
Fruit trees (soil applied)	5 - 30 kg/ha	Apply when deficiency symptoms are first noticed.
Vegetables (soil applied)	1.0 – 2.5 kg/ha	Incorporate into soil prior to planting.
Turf Grass	3 g/100 m <sup>2</sup>	Apply at commencement of growing season.
Ornamentals	400 g/100 L	Apply in sufficient water to wet foliage.
<b>Note:</b> Boron can be toxic when levels become too high. A leaf or soil test should be conducted to determine exact requirements necessary for optimum plant growth.		

### NOTICE

This product is designed only for the particular purposes indicated on the label. Failure to use the product strictly as directed may be illegal, prove dangerous and render the product ineffective. The buyer or user is responsible for any misuse or negligence in the handling, storage, use of or disposal of this material. Barmac Industries Pty Ltd will not accept any responsibility whatsoever and howsoever arising whether for consequential loss or otherwise in connection with the supply and use of this product other than those responsibilities mandatorily imposed by Statutes applicable to the sale and supply of these goods.