

DIRECTIONS FOR USE: FOR USE IN ALL STATES

RESTRAINTS:

DO NOT APPLY TO BUFFALO GRASS

DO NOT MOW TURF FOR TWO DAYS BEFORE OR AFTER TREATMENT

SITUATION	PEST	RATE	CRITICAL COMMENTS
Fairways, Parks, Ovals and playing fields and other turf situations	Bindii, Catsear, Chickweed, Clovers, Cobblers Pegs, Creeping Oxalis (not TAS), Dandelion, Fat Hen, Furnitory, Lambs Tongue, Mallow, Pearlwort, Stagger Weed, Wireweed	4.3L in 450L of water per hectare	Repeat treatments may be necessary and should be made in 7 - 14 days.
Bowling & Golf Greens & Lawns		45mL in 20L of water/100m ²	
Newly Sown Turf		30mL in 20L of water per 100m ²	Do not apply until four weeks after the first mowing.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS:

Equipment used to spray this product should not be used for applying other materials to sensitive plants. If such use is unavoidable, clean equipment thoroughly with ammonia or washing soda and rinse with several changes of water and detergent.

RESISTANT WEEDS WARNING: Barmac Broadleaf Weeder Selective Weedkiller is a member of the Phenoxy and benzoic acid group of herbicides. The product has the disruptors-of-plant-cell growth mode of action. For weed resistance management Barmac Broadleaf Weeder Selective Weedkiller is a group I herbicide. Some naturally occurring weed biotypes resistant to Barmac Broadleaf Weeder Selective Weedkiller and other group I herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Barmac Broadleaf Weeder Selective Weedkiller or other group I herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Barmac Industries Pty Ltd accepts no responsibility for any losses that may result from the failure of Barmac Broadleaf Weeder Selective Weedkiller to control resistant weeds.

POISON
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

BARMAC



SELECTIVE WEEDKILLER

ACTIVE CONSTITUENTS:

326 g/L Mecoprop present as the dimethylamine salt

77 g/L MCPA present as the dimethylamine salt

39 g/L Dicamba present as the dimethylamine salt

GROUP I HERBICIDE

20L
Contents

FOR THE CONTROL OF: BROADLEAF WEEDS, CLOVER, BINDII AND CREEPING OXALIS IN TURF.



BARMAC INDUSTRIES PTY LTD
1 Box Flat Estate,
Swanbank Road,
SWANBANK, QLD 4306
TEL: (07) 3255 6000
NRA APPROVAL NUMBER 41092/0600

Batch
Number:

Date of
Manufacture:

PROTECTION OF CROPS, NATIVE AND NON TARGET PLANTS: Do not apply under meteorological conditions or from spraying equipment which could be expected to cause spray to drift onto nearby susceptible plants, adjacent crops, crop lands or pastures.

In particular, avoid spray drift and vapour movement onto susceptible crops such as cotton, tobacco, tomatoes, vines, lupins fruit trees and ornamentals.

PROTECTION OF LIVESTOCK: Do not feed lawn or grass clippings from treated areas to poultry or livestock.

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT: Dangerous to fish. Do not contaminate streams, rivers or waterways with the chemical or used container.

STORAGE AND DISPOSAL: Store in a closed original container in a cool well ventilated area away from children, animals, food, feedstuffs, seed and fertilizer. Do not store for prolonged periods in direct sunlight. Triple rinse or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemical on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling break, puncture or crush and bury empty containers in a local authority landfill. If no local authority landfill is available bury the containers below 500mm in a disposal pit specifically marked and set up for the purpose, clear of waterways, desirable vegetation and tree roots. Empty containers or product should not be burned.

SAFETY DIRECTIONS: Poisonous if absorbed by skin contact, inhaled or swallowed. Will irritate the eyes and skin. Avoid contact with the eyes and skin. Do not inhale vapour or spray mist. Repeated exposure may cause allergic disorders. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow length PVC gloves, chemical resistant footwear and a face shield. When using the prepared spray wear cotton overalls buttoned to the neck and wrist, a washable hat and elbow length PVC gloves. If product on skin, immediately wash area with soap and water. If product in eyes wash out immediately with water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each days use wash gloves, face shield and contaminated clothing.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre ph 131126. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyelids open, flood with water for at least 15 minutes and see a doctor.

MATERIAL SAFETY DATA SHEET: Additional information is listed on the Material Safety Data Sheet available from Barmac Industries Pty Ltd or from our internet site www.barmac.com.au.

NOTICE: This product is designed only for the particular purposes indicated on the label. Failure to use the product strictly as directed may be illegal, prove dangerous and render the product ineffective. The buyer or user is responsible for any misuse or negligence in the handling, storage, use of or disposal of this material. Barmac Industries Pty Ltd will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply and use of this product other than those responsibilities mandatorily imposed by Statutes applicable to the sale and supply of these goods.