

# DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



# ELECTRICUR

## TURF NEMATICIDE

ACTIVE CONSTITUENT: 400 g/L FENAMIPHOS  
(an anticholinesterase compound)

**GROUP 1B INSECTICIDE**

For the control of nematodes as specified  
in the DIRECTIONS FOR USE table.

**NET CONTENTS 5 LITRES**

**BARMAC INDUSTRIES** PTY LTD

ABN 21 009 674 953

3 Mary Street, Blackstone Qld 4304

TEL: (07) 3280 3000

[www.barmac.com.au](http://www.barmac.com.au)

APVMA APPROVAL NUMBER: 62093/5L/0309

Batch  
Number:  
Date of  
Manufacture:



Electricur5L0805V1

## DIRECTIONS FOR USE

**Restraints:** **DO NOT apply to dry soil or dry grass.**  
**DO NOT apply under windy conditions.**  
**DO NOT allow spray deposit to dry on leaves before applying irrigation.**

CROP	PEST	STATE	RATE	WHP
Turf	Soil borne plant parasitic nematodes	All states	110 mL/100m <sup>2</sup> Or 1.5 L per bowling green	-

**CRITICAL COMMENTS:** Apply each spring and repeat 5 weeks later as an overall treatment. Apply in a convenient amount of water. Apply ONLY to turf wet and damp soil after irrigation or a period of rain. Avoid application under windy or very hot and drying conditions. Irrigate immediately while leaves are still wet with spray deposit (usually within a few minutes) and apply a minimum of 15 mm of water. Regulate the volume of irrigation to avoid the formation of pools and puddles.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**THIS PRODUCT IS TOO HAZARDOUS FOR USE IN THE HOME GARDEN**

**WOOD DUCKS (*Chenonetta jubata*) MAY BE PUT AT RISK IF THIS PRODUCT IS NOT USED CORRECTLY**

**GENERAL INSTRUCTIONS** Electricur requires irrigation to take it into the soil. Do NOT apply to turf which may be grazed or fed to animals.

### INSECTICIDE RESISTANCE WARNING

#### GROUP 1B INSECTICIDE

For insecticide resistance management Electricur is a Group 1B insecticide. Some naturally occurring insect biotypes resistant to Electricur and other Group 1B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Electricur or other Group 1B insecticides are used repeatedly. The effectiveness of Electricur on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Barmac Industries Pty Ltd accepts no liability for any losses that may result from the failure of Electricur to control resistant insects. Electricur may be subject to specific resistance management strategies. For further information contact your local suppliers or Barmac Industries Pty Ltd representative.

**Accelerated Biodegradation** As with other soil insecticides the effectiveness of this product may be reduced as a result of the soil microflora developing the ability to biodegrade it at an accelerated rate, particularly after repeated application. If unacceptable control occurs, immediately contact your Barmac representative for detailed information. This product should not be used where the user suspects the soil microflora have developed the ability to degrade it at an accelerated rate.

Barmac Industries Pty Ltd accepts no responsibility, and intends by this statement to exclude liability, if the effectiveness of this product is reduced or nullified as a result of accelerated biodegradation, since biodegradation is accelerated by soil characteristics, which occur naturally and are beyond Barmac Industries control.

**Mixing** Add the required quantity of Electricur to the spray vat full of water while stirring or with by-pass in operation. Do not allow mixture to stand overnight. After spraying, rinse tank, pump and lines with plenty of water before spraying fungicides or insecticides.

### PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

**HIGHLY TOXIC TO BIRDS** To reduce the hazard to birds it is essential to wash Electricur by irrigation (or rainfall) from the grass immediately after spraying, that is while the grass is still wet from spraying. Avoid runoff and the formation of pools and puddles. DO NOT contaminate streams, rivers or waterways with the chemical or used container. DO NOT graze treated turf or feed turf clippings from any treated area to poultry or livestock.

**STORAGE AND DISPOSAL** Store in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers. Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse container before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

**SAFETY DIRECTIONS** Very dangerous, particularly the concentrate. Poisonous if absorbed by skin contact, inhaled or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do not inhale spray mist. Obtain an emergency supply of atropine tablets 0.6 mg. When opening the container, preparing the spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist and washable hat, elbow-length PVC gloves and full face piece respirator with combined dust and gas cartridge or canister. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, respirator, and if rubber, wash with detergent and warm water, and contaminated clothing.

**FIRST AID** If swallowed, splashed on skin or in eyes, or inhaled contact Poisons Information Centre (Phone Australia 13 11 26) or doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed. Get to a doctor or hospital quickly.

**MATERIAL SAFETY DATA SHEET** Additional information is listed in the Material Safety Data Sheet, which can be obtained from [www.barmac.com.au](http://www.barmac.com.au)

**NOTE** This product is designed only for the particular purposes indicated on the label. Failure to use the product strictly as directed may be illegal, prove dangerous and render the product ineffective. The buyer or user is responsible for any misuse or negligence in the handling, storage, use or disposal of this material. Barmac Industries Pty Ltd will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply and use of this product other than those responsibilities mandatorily imposed by Statutes applicable to the sale and supply of these goods.