

DATE OF ISSUE 24TH DECEMBER 2007

BARMAC INDUSTRIES PTY LTD
BOX FLAT ESTATE SWANBANK RD. SWANBANK Q 4306

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: BARMAC AUTOFERT K
PHONE: (07) 3280 3000
EMERGENCY AFTER HOURS NUMBER: (07) 3280 3000

Not classified as hazardous by Worksafe Australia Criteria

IDENTIFICATION

OTHER NAMES: None

USE: An organic fertiliser mixture fortified with mineral and trace elements for use in turf, ornamental and nursery situations.

HAZCHEM CODE: N/A

DANGEROUS GOODS CLASS: N/A

UN NUMBER: N/A

POISONS SCHEDULE: N/A

PHYSICAL DESCRIPTION/PROPERTIES

APPEARANCE: Clear to Opaque

FLASHPOINT (°C): N/A

MELTING POINT (°C): Below 0°C

BOILING POINT (°C): Above 100°C

FLAMMABILITY LIMITS (%): N/A

VAPOUR PRESSURE (@ 100°C): 760 mmHg (water)

SOLUBILITY IN WATER (g/L): Soluble

SPECIFIC GRAVITY: 1.0 – 1.1

INGREDIENTS

<u>CHEMICAL ENTITY</u>	<u>CAS NO</u>	<u>PROPORTION</u>
Potassium Carbonate		
Citric Acid		

DATE OF ISSUE 24TH DECEMBER 2007

BARMAC INDUSTRIES PTY LTD
BOX FLAT ESTATE SWANBANK RD. SWANBANK Q 4306

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: BARMAC AUTOFERT K
PHONE: (07) 3280 3000
EMERGENCY AFTER HOURS NUMBER: (07) 3280 3000

Not classified as hazardous by Worksafe Australia Criteria

HEALTH HAZARD INFORMATION

HEALTH EFFECTS

ACUTE:

SWALLOWED: Non toxic but may cause nausea

EYES: Low irritant

SKIN: Not harmful

INHALED: Not harmful

CHRONIC: Not harmful

FIRST AID

SWALLOWED: Induce vomiting, preferably using Ipecac syrup APF.

EYES: No evidence of any health effects other than slight irritation to eyes. If this product should become in contact with eyes wash with copious amounts of water for 10-15 minutes. If irritation persists, see a doctor.

SKIN: Wash skin with soap and water.

INHALED: Remove victim from contaminated area.

FIRST AID FACILITIES: N/A

ADVICE TO DOCTOR: Treat symptomatically

DATE OF ISSUE 24TH DECEMBER 2007

**BARMAC INDUSTRIES PTY LTD
BOX FLAT ESTATE SWANBANK RD. SWANBANK Q 4306**

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: BARMAC AUTOFERT K
PHONE: (07) 3280 3000
EMERGENCY AFTER HOURS NUMBER: (07) 3280 3000

Not classified as hazardous by Worksafe Australia Criteria

PRECAUTIONS FOR USE

EXPOSURE STANDARDS: TLV not established. Treat as for nuisance particulate: TLV:TWA 10 mg/m³: Total dust or 5mg/m³respirable dust.

ENGINEERING CONTROLS: Provide local exhaust ventilation to reduce dust levels to less than permissible levels.

PERSONAL PROTECTION: Not required

FLAMMABILITY: Not flammable.

SAFE HANDLING INFORMATION

STORAGE AND TRANSPORT: Store in a cool dry location away from a heat source. No separation required for storage or transport. Store material in a well ventilated area. Keep containers tightly sealed when not in use.

SPILLS AND DISPOSAL: Dilute with water. Apply absorbent such as sand to absorb liquid.

FIRE/EXPLOSION HAZARD: There is no danger of violent reaction or explosion. Product is not flammable.

NOTICE: Information for this product is believed to be reliable, however buyer and user assume all risk of use, handling and storage whether in accordance with directions or not. Barmac Industries Pty Ltd and its agents give no guarantee or warranty of any kind express or implied concerning the use of this product and will not accept any responsibility whatsoever whether in contract or tort for any loss including consequential loss arising out of the use of this product or caused by this product.
