

DATE OF ISSUE 24TH DECEMBER 2007

**BARMAC INDUSTRIES PTY LTD
BOX FLAT ESTATE SWANBANK RD. SWANBANK Q 4306**

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: BARMAC NEOTROL LIQUID

PHONE: (07) 3280 3000

EMERGENCY AFTER HOURS NUMBER: (07) 3280 3000

Not classified as hazardous by Worksafe Australia Criteria

IDENTIFICATION

OTHER NAMES: Nil

USE: An organic soil amendment

UN NUMBER: n/a

HAZCHEM CODE: n/a

DANGEROUS GOODS CLASS: n/a

POISONS SCHEDULE: n/a

PHYSICAL DESCRIPTION/PROPERTIES

APPEARANCE: Pale, odourless liquid

FLASHPOINT (°C): n/a

BOILING POINT (°C): n/a

FLAMMABILITY LIMITS (%): n/a

VAPOUR PRESSURE (___): n/a

SOLUBILITY IN WATER (g/L): miscible.

SPECIFIC GRAVITY: 1.04g/mL

INGREDIENTS

<u>CHEMICAL ENTITY</u>	<u>CAS NO</u>	<u>PROPORTION</u>
Non hazardous & food grade materials		100 %

DATE OF ISSUE 24TH DECEMBER 2007

BARMAC INDUSTRIES PTY LTD
BOX FLAT ESTATE SWANBANK RD. SWANBANK Q 4306

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: BARMAC NEOTROL LIQUID

PHONE: (07) 3280 3000

EMERGENCY AFTER HOURS NUMBER: (07) 3280 3000

Not classified as hazardous by Worksafe Australia Criteria

HEALTH HAZARD INFORMATION

HEALTH EFFECTS

ACUTE:

SWALLOWED: No adverse effects known or expected.

EYES: May irritate eyes.

SKIN: No adverse effects expected.

INHALED: no adverse effects expected

CHRONIC: No chronic or long term effects expected from exposure.

FIRST AID

SWALLOWED: Rinse mouth with water. Do not induce vomiting. Seek medical advice.

EYES: If in eyes hold eyelids open, flood with water for at least 15 minutes and see a doctor if irritation persists.

SKIN: Wash skin with soap and water.

INHALED: Remove victim to fresh air and seek medical advice if effects persist. If breathing difficulties become acute give oxygen.

ADVICE TO DOCTOR: Treat symptomatically

DATE OF ISSUE 24TH DECEMBER 2007

**BARMAC INDUSTRIES PTY LTD
BOX FLAT ESTATE SWANBANK RD. SWANBANK Q 4306**

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: BARMAC NEOTROL LIQUID

PHONE: (07) 3280 3000

EMERGENCY AFTER HOURS NUMBER: (07) 3280 3000

Not classified as hazardous by Worksafe Australia Criteria

PRECAUTIONS FOR USE

EXPOSURE STANDARDS: No occupational exposure standards have been set for this product or its ingredients.

ENGINEERING CONTROLS: Use only in well ventilated areas.

PERSONAL PROTECTION: In the presence of oil mists, the use of a mask or respirator is recommended.

FLAMMABILITY: Product is not flammable. It will burn slowly in a manner similar to cooking oil.

SAFE HANDLING INFORMATION

STORAGE AND TRANSPORT: Store in a cool dry place in sealed original containers away from direct sunlight. Store away from food, feed or any items intended for human or animal consumption. Keep out of reach of children. Product is not classified as a dangerous good under current transport regulations.

SPILLS AND DISPOSAL: Dike material to prevent run off. Absorb with solid material such as sawdust or cloth, and dispose. Wash floors with soap and hot water to prevent slipping. Dispose of it in accordance with prevailing regulations. Keep away from children. Protect from freezing.

FIRE/EXPLOSION HAZARD: No unusual fire or explosion hazards exist. Product is oil based and will float on water. Water is not suitable as a fire-fighting medium. Use foam or dry agents only.

NOTICE: Information for this product is believed to be reliable, however buyer and user assume all risk of use, handling and storage whether in accordance with directions or not. Barmac Industries Pty Ltd and its agents give no guarantee or warranty of any kind express or implied concerning the use of this product and will not accept any responsibility whatsoever whether in contract or tort for any loss including consequential loss arising out of the use of this product or caused by this product.
